


Low Speed/Full Speed/High Speed/Super Speed Host Controller USB 3.0 3.3V 68-Pin QFN EP



Images are for reference only

Manufacturer: [Renesas Technology Corp](#)

Package/Case: QFN68

Product Type: Interface ICs

RoHS: RoHS Compliant/Lead free 

Lifecycle: Active

[Inquiry](#)

General Description

Key Features

System I/F: PCIe Gen2 x 1 Lane

USB ports: 4 ports (SS/HS/FS/LS)

Comply spec to: PCIe 2.0 Base Spec

USB 3.0 rev1.0 (USB-IF certified: Test>

Intel xHCI rev 1.0

VDD: 1.05V, 3.3V

Clock: 24MHz Xtal clock input

Package: 68-pin QFN (8mm x 8mm, 0.4mm ball pitch)

Ta: 0~85 °C (μPD720201K8-701-BAC-A)

Ta:-40~85 °C (μPD720201K8-711-BAC-A)

Recommended For You

UPD720210K8-BAF-A

Renesas Technology Corp

QFN76

UPD720201K8-701-BAC-A

Renesas Technology Corp

QFN68

uPD71059C

Renesas Technology Corp

DIP

UPD8259AC

Renesas Technology Corp

DIP28

UPD720102F1-CA7-A

Renesas Technology Corp

BGA

uPD71059C-10

Renesas Technology Corp

DIP

CP82C37A-5

Renesas Technology Corp

DIP

ICL3222EIAZ

Renesas Technology Corp

SSOP20

CA91C142D-33CE

Renesas Technology Corp

BGA

CA91C142D-33CEV

Renesas Technology Corp

BGA

HC55185CIM

Renesas Technology Corp

PLCC28

HIP9011AB

Renesas Technology Corp

SOP20

ICL3232CVZ

Renesas Technology Corp

TSSOP16

ISL3174EIUZ

Renesas Technology Corp

MSOP8

82V2044EPFG

Renesas Technology Corp

TQFP-128