

CPLD MAX® 3000A Family 5K Gates 256 Macro Cells 126.6MHz  
3.3V 256-Pin FBGA Tray




Images are for reference only

[Inquiry](#)

<b>Manufacturer:</b>	<a href="#">Intel Corp</a>
<b>Package/Case:</b>	BGA
<b>Product Type:</b>	Programmable Logic ICs
<b>Lifecycle:</b>	Obsolete

### General Description

MAX 3000A devices are low-cost, high-performance devices based on the Altera MAX architecture. Fabricated with advanced CMOS technology, the EEPROM-based MAX 3000A devices operate with a 3.3-V supply voltage and provide 600 to 10,000 usable gates, ISP, pin-to-pin delays as fast as 4.5 ns, and counter speeds of up to 227.3 MHz.



### Recommended For You

#### [EPM3256AQC208-10N](#)

Intel Corp  
QFP208

#### [EPCQ32ASI8N](#)

Intel Corp  
SOP8

#### [EPCQ32SI8N](#)

Intel Corp  
SOP8

#### [EPCQ64ASI16N](#)

Intel Corp  
SOP16

#### [EPCQ16SI8N](#)

Intel Corp  
SOP8

#### [EPC21132](#)

Intel Corp  
QFP

**EPM7128STC100-15N**

Intel Corp

QFP100

**EP1C6Q240I7N**

Intel Corp

QFP240

**EPCQ128SI16N**

Intel Corp

SOP16

**EPM7128SLC84-15N**

Intel Corp

PLCC

**EPC1213PC8**

Intel Corp

DIP8

**EP1K30TC144-3N**

Intel Corp

QFP

**EPCS1SI8**

Intel Corp

SOP-8

**EPC1PI8N**

Intel Corp

DIP8

**EPC2LI20N**

Intel Corp

PLCC