


Up/Down Conv Mixer 31GHz 12-Pin CLLCC EP T/R



Images are for reference only

[Inquiry](#)

Manufacturer: [Analog Devices, Inc](#)

Package/Case: QFN

Product Type: RF Integrated Circuits

RoHS: RoHS Compliant/Lead free 

Lifecycle: Active

General Description

The HMC264LC3B is a 21 - 31 GHz Sub-harmonically Pumped (x2) MMIC Mixer with an integrated LO amplifier in a leadless “Pb Free” SMT package. The 2LO to RF isolation is excellent at 30 dB, eliminating the need for additional filtering. The LO amplifier is a single bias (+3V to +4V) design with only -4 to +4 dBm drive requirement. The RF and LO ports are DC blocked and matched to 50 Ohms for ease of use while the IF covers DC to 6 GHz. The HMC264LC3B eliminates the need for wire bonding, allowing use of surface mount manufacturing techniques.

Key Features

- Integrated LO Amplifier:
- Sub-Harmonically Pumped (x2) LO
- High 2LO/RF Isolation: 30 dB
- DC - 6 GHz Wideband IF
- RoHS Compliant 3×3 mm SMT Package

Application

- Point-to-Point Radios
- Point-to-Multi-Point Radios & VSAT
- Test Equipment & Sensors
- Military End-Use

Recommended For You

HMC624ALP4E

Analog Devices, Inc
QFN24

HMC952ALP5GE

Analog Devices, Inc
QFN

HMC361S8GE

Analog Devices, Inc
SOP-8

HMC253AQS24E

Analog Devices, Inc
QFN

HMC346MS8G

Analog Devices, Inc
MSOP8

HMC1119LP4ME

Analog Devices, Inc
QFN

HMC659LC5

Analog Devices, Inc

QFN

HMC909LP4E

Analog Devices, Inc

QFN

HMC564LC4

Analog Devices, Inc

QFN

HMC1021LP4E

Analog Devices, Inc

QFN

HMC241AQS16E

Analog Devices, Inc

SSOP16

HMC424LP3E

Analog Devices, Inc

QFN

HMC662LP3E

Analog Devices, Inc

QFN

HMC8038LP4CE

Analog Devices, Inc

QFN16

HMC363S8G

Analog Devices, Inc

SOP8